Receiving Report

	, 1	NEG	Manig r	report				
Dat	e: / <i>y/g//</i>	9		Batch No:	M/3	20 427) - 5 - 4	
Sur	oplier: Almy	NOME		Dart P/O:	D	5816	•	•
Packing Slip: Involce: Receipt: New Supplier	Yes No Cash Cr No		Release N Waybill Att Shipment QC18 Insp	tached: Complete rection _	Yes		N/A N/A	
Discrepancies	•		Work Ordi	ar <u> </u>		<u></u>	N/A	
Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity inspected	Chanles Restant	Commen Numl	
		200 mg	الم بنوره					
					Julia in			2
				nitials of	Receiver	**************************************	130	<u> </u>
Production/Adm	in:						/_\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	72
Date Receiveti/Costii	lg					Laccallo		

HNFORMS\Purchasingapproved purch\RECREPORT Rev F



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO25816

Purchase Order Date 9/17/2014 PO Print Date 9/17/2014

Page Number 1 of 1

Order From:

VC-AD001

Ship To: DART AEROSPACE LTD

AIR DYNAMICS

19420B CLARK GRAHAM AVENUE BAIE D'URFE, QUEBEC H9X 3R8 1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

514-457-4287

Buyer

Customer POID

Customer Tax #

10127-2607

Net 30

Ship To Contact

Ship To Phone

Purolator ground collect

Terms Currency

CAD

Ship Via: Ship Acct: FOB

EXW - (Ex Works)

Line Nbr		Description/ Mfg ID	Req Date/ CD Taxable Promise Date	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	71400-20	70-1 Tape, Electrical Self Fusing	9/17/2014	2.00	\$95.00	. \$190.00
			No	Each		
			9/25/2014	1		
	Sylvain Boyer			/4/h/19		
				(1/	Line Total:	\$190.00
2	71401-45		9/17/2014	0.00	\$0.00	\$0.00
			No	Each ·		
	Procurement Quality Clauses A005 RIGHT OF ENTRY A014 SHELF LIFE CONTROLLE	ED MATERIAL; 70% SHELF	9/25/2014			

Line Total:

\$0.00

PO Total:

\$190.00

PO Instructions: Purolator Acc#7684382

1

LIFE REQUIRED AT RECEIPT

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A040 NOTIFICATION OF QUALITY ESCAPE A042 DART NOTIFICATION BY SUPPLIER A043 RETENTION OF QUALITY DOCUMENTS

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explaination.

Change Nbr:

Change Date:

9/17/2014

M. Lugan

CERTIFICATE OF CONFORMANCE

3M Canada Company / Compagnie 3M Canada AIR DYNAMICS CO. LTD. 194208 CLARK GRAHAM AVE. BAIE D'URFÉ, QUÉ. H9X 3R8 TÉL: (514) 457-4287

17 SEP. 2014

THIS IS TO CERTIFY THAT THE PRODUCT IDENTIFIED BELOW COMPLIES WITH CURRENT MANUFACTURING STANDARDS.

ORDER #: Z18210-004

CUSTOMER ITEM: 70-1

ITEM ID: 80611438617

ITEM DESCRIPTION : 70 SCOTCHBRAND SILICONE RUBBER TAPE

DIMENSION/SIZE/TYPE: 1

IN X 30 FT

SHIPPED QUANTITY : 24 UNIT: RLS

SHIP DATE : 03/02/2012

LOT NUMBER

2010

MANUFACTURING DATE

EXPIRY DATE

JANUARY 10,2012

JANUARY 10,2017

NOTE: OVER 70% SHELF LIFE REMAINING AT TIME OF SHIPMENT

3M Canada Company / Compagnie 3M Canada P.O. Box 5757, LONDON, ONT N6A 4T1 DATE: 03/06/2012

IMPORTANT NOTICE TO PURCHASER: THE FOLLOWING IS MADE IN LIEU OF ALL EXPRESS OR IMPLIED RIGHTS, WARRANTIES AND CONDITIONS, STATUTORY OR OTHERWISE: SELLERS AND MANUFACTURERS ONLY OBLIGATION SHALL BE TO REPLACE SUCH QUANTITY OF THE PRODUCT PROVED TO BE DEFECTIVE. NEITHER SELLER NOR MANUFACTURER SHALL BE LIABLE FOR ANY INJURY, LOSS OR DAMAGE, DIRECT OR CONSEQUENTIAL ARISING OUT OF THE USE OF OR THE INABILITY TO USE THE PRODUCT. BEFORE USING, USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR HIS INTENDED USE, AND THE USER ASSUMES ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH. THE FOREGOING MAY NOT BE ALTERED EXCEPT BY AN AGREEMENT SIGNED BY THE OFFICERS OF SELLER AND MANUFACTURER.

RELEASE
CERTIFICATE
NOMENCLATURE TAPE

AIR DYNAMICS

PART NUMBER MODEL or TYPE

19420B Clark Graham Avenue Baie d'Urfé, Québec, H9X*3R8

E-ELECTRICAL SELF AUSING (1"X30")

MAKE 3H		
SERIAL NUMBER	EXP: 7	TAN. 10/2017
NEWREPAIREDINSPECTED	OVERHAULED	MODIFIED
PREVIOUS CERTIFICATION B: 30763	207:20	lo
HEREBY CERTIFY THAT THE AIRCRAFT PARTS, APPRIVED ACQUIRED FROM A SOURCE OF SUPPLY THAT WHICH THE DEPARTMENT OF TRANSPORT DISTRIBUTION DATE SEPTEMBER 18, 2014	AT TO CONCIOTANT WITH T	



JE CERTIFIE PAR LES PRESENTES QUE LES PIECES D'AERONEFS DECRITES DANS LE PRESENT CERTIFICAT ONT ETE OBTENUES D'UNE SOURCE D'APPROVISIONNEMENT CONFORME AUX CONDITIONS AUXQUELLES LE CERTIFICAT D'AUTORISATION DE DISTRIBUTION NO. 12-89 DU MINISTÈRE DES TRANSPORTS A ETE ATTRIBUE.

DATE 10 DOTTOM Bre 20

MANE Grenda Shea

3M Canada Company 1840 Oxford Street East, Post Office Box 5757 London, Ontario N6A 4T1 Medical Emergency Telephone: (519) 451-2500, Ext. 2222 Transportation Emergency Telephone (CANUTEC): (613) 996-6666

_______ Material Safety Data Sheet Copyright, 1997, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon. Prepared by: Corporate Regulatory Services, 3M Canada Company Telephone: (800) 364-3577, Fax: (800) 603-7758, Web Site: www.3M.ca 1 Chemical Product and Company Identification ______ Tradename: SILICONE TAPE Product ID: 78-8025-3296-6 78-8050-9150-7 80-0140-0009-7 80-0140-0099-8 80-6109-0379-3 80-6112-3018-8 80-6112-3019-6 80-6114-3861-7 Intended Use of Product: Electrical Product Division: ELECTRICAL PRODUCTS DIVISION 2 Hazards Identification Critical Hazards: None known. See Sections 7 and 11 for further information. Page 2 of 7 □ SILICONE TAPE

3 Composition/Information on Ingredients CAS Number Percentage Ingredient Name Mixture 98 100 POLYORGANOSILOXANE MIXTURE

Each percentage is expressed as the ratio of the weight of the ingredient to the weight of the controlled product.

4 First Aid Measures

Instructions for Eye Contact:

No need for first aid is anticipated.

Instructions for Skin Contact:

Wash affected area with soap and water.

Instructions for Inhalation:

Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.

Instructions for Ingestion:

Do not induce vomiting. Drink two glasses of water. Call a physician.

5 Fire Fighting Measures

Flash point:

Lower Explosive Limit (%):

Upper Explosive Limit (%):

Autoignition temperature:

Not applicable

Not applicable

Suitable Extinguishing Media:

Water spray; Carbon Dioxide; Dry chemical;

Exposure Hazards during Fire:

No data available.

Combustion Products from Fire:

Carbon monoxide and carbon dioxide;

Silicon dioxide

Unusual Fire and Explosion Hazards

None known.

Fire Fighting Procedures:

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

NFPA: Health 0
NFPA: Fire 1
NFPA: Reactivity 0

SILICONE TAPE

Page 3 of 7 □

NFPA: Unusual Reaction Hazard

none

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Special Instructions:

None known.

6 Accidental Release Measures

```
Personal Precautions:
  No data available.
Environmental Procedures
  No data available.
Methods for cleaning up
  No data available.
Spill Response:
  Not applicable.
Methods for Disposal:
  Dispose of waste product in a sanitary landfill. Disposal
  alternative: As a disposal alternative, incinerate in an industrial
  or commercial facility in the presence of a combustible material.
7 Handling and Storage
______
Storage Requirements:
  Store in a cool place. Avoid contact with water.
Incompatible Materials:
  Strong oxidizing agents;
Ventilation:
  No data available.
Explosion Prevention:
  Keep away from heat, sparks, open flame, pilot lights and other
  sources of ignition.
                                                   Page 4 of 7 □
SILICONE TAPE
8 Exposure Controls/Personal Protection
Personal Protection
______
Eye Protection:
  Avoid eve contact.
  The following should be worn alone or in combination, as
  appropriate, to prevent eye contact:
  Safety glasses with side shields
Skin Protection:
  Avoid prolonged or repeated skin contact.
Respiratory Protection:
  Do not breathe thermal decomposition products.
  Avoid breathing of dust created by cutting, sanding, grinding or
Ingestion (Prevention):
  Wash hands after handling and before eating.
  Do not ingest.
Recommended Ventilation:
  Use in a well-ventilated area.
Ingredient Exposure Data
_____
 POLYORGANOSILOXANE MIXTURE (Mixture)
                                      No data available.
   LD50 (rat, oral)
   LC50 (rat, inhalation/4 hours) No data available.
   Exposure Limits
```

9 Physical and Chemical Properties

Physical form, Color, Odour:

Odour Threshold:

Boiling point/boiling range:

Melting point/melting range:

Vapour pressure:

Water Solubility:

Specific gravity: Vapour density:

Volatile organic compounds:

Evaporation rate:

Viscosity:

Percent Volatile:

Solid; Roll of tape; grey;

Slight odour;

No data available.

Not applicable

Not applicable

Not applicable Not applicable

Nil

1.19 Water=1

Not applicable

Not applicable

Not applicable

Not applicable

No data available.

SILICONE TAPE

Page 5 of 7 \square

______ 10 Stability and Reactivity

Conditions to Avoid:

Store away from heat; Materials to Avoid:

Strong oxidizing agents;

Hazardous Decomposition:

Carbon monoxide and carbon dioxide;

Silicon dioxide

Stability and Reactivity:

Stable. Hazardous polymerization will not occur.

11 Toxicological Information

Effects from Eye Contact:

Eye contact is not expected to occur during normal use of the product.

Vapours from heated material can cause eye irritation.

Signs/symptoms can include redness, swelling, pain, tearing, and blurred or hazy vision.

Dust created by cutting, grinding, sanding, or machining can cause eye irritation: Signs/symptoms can include redness, swelling, pain, tearing, and blurred or hazy vision.

Effects from Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Effects from Inhalation:

This product may have a characteristic odor; however, no adverse health effects are anticipated.

Health effects from inhalation are not expected unless the product is over heated and decomposition occurs.

If thermal decomposition occurs:

Upper Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

```
* Effects from Ingestion:
  Ingestion may cause:
  Gastrointestinal Irritation: Signs/symptoms may include abdominal
  pain, nausea, diarrhea and vomiting.
 Sensitization Information:
  No data available.
 Carcinogenicity:
  No data available.
 Mutagenicity:
  No data available.
 Reproductive Effects:
  No data available.
 Component Based Information:
                                            Page 6 of 7 □
SILICONE TAPE
  No data available.
 Product Based Information:
  No data available.
12 Ecological Information
______
 Environmental Data:
 Ecotoxicity Data:
  No data available.
 Ecofate Data:
 Other Effects and Information:
  A conservative, screening level assessment of this product
  indicates that its use and proper disposal are likely to present a
  low environmental risk. Potential use and misuse are unlikely to
  cause components to enter the environment in quantities or by
  routes that could cause adverse environmental impacts. Since
  regulations vary, consult applicable regulations or authorities
  before disposal.
13 Disposal Considerations
 Product as Sold:
  No data available.
 Product Packaging:
  No data available.
 Special Instructions:
  Since regulations vary, consult applicable regulations or
  authorities before disposal.
______
14 Transport Information
______
Transportation of Dangerous Goods
____
                                 Non-Regulated Material
 TDG Classification:
 Special Information:
15 Regulatory Information
_____
                                 Exempt (Manufactured Article)
 WHMIS Classification:
```

* NOTE:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR. Product Certifications:

This product is an article as defined by TSCA regulations, and is

SILICONE TAPE

Page 7 of 7 □

exempt from TSCA Inventory listing requirements.

16 Other Information

Reason for Reissue: MSDS review, no information has changed

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

---End---